



NOTE: THIS TROLLEY HOIST ASSEMBLY WILL FROM THE FLOOR DISENGAGE THE OPERATOR FROM DOOR AND ENGAGE THE MANUAL CHAIN HOIST IN THE EVENT OF POWER FAILURE. DOOR CAN BE OPEN OR CLOSE MANUALLY. ELECTRICAL INTERLOCK SWITCH IS PROVIDED TO PREVENT ACCIDENT WHEN POWER IS RESTORED. LIMIT SWITCHES WILL NOT GO OUT OF SYNCHRONIZATION WHEN MANUAL HOIST IS USED.

This drawing and all information contained thereon is confidential and the property of DOORLEC CORPORATION. It may not be reproduced in whole or in part without express written consent. This document is loaned subject to be returned upon demand. It may not be used directly or indirectly for purposes detrimental to the interest of DOORLEC CORPORATION. Copyright 1985, ALL RIGHTS RESERVED.

DC DOORLEC CORPORATION
CORPORATION DOORLEC
235 AVE. LABROSSE, PONTE-CLAIRE
QUÉBEC H9R 1A3

ASSEMBLY
SUGGESTED INSTALLATION FOR MODEL
ETH & ETBH TROLLEY-HOIST OPERATOR

| DRAWN BY | APPROVED BY | DATE | DRAWING N° |
|----------|-------------|-----------|------------|
| B.S. | P.G.S. | 9 AUG. 85 | 2007 A |